



Better Feed . . . Better Fish



Optimum

Starter Feed for Salmonids

PRODUCT CHARACTERISTICS			
Feed Sizes	.5 gr	.7 gr	1.0 gr
Crude Protein (minimum)	55%	54%	53%
Crude Fat (minimum)	15%	16%	17%
Crude Fiber (maximum)	1.1%	1.1%	1.1%
Moisture (maximum)	9%	9%	9%
Ash (maximum)	10%	10%	10%
Phosphorus (maximum)	1.6%	1.5%	1.5%
NFE (actual)	12%	12%	12%
Digestible Energy (MJ/Kg)	17.9	18.0	18.0
Added Pigment (PPM Astaxanthin)	10 PPM	10 PPM	10 PPM

136 Hodgson Road • Fredericton, NB, Canada • E3C 2G4
 Tel: (506) 444-7744 • Fax: (506) 444-7740 • Toll Free 1-800-561-0072

www.corey.ca

30/08/10





Better Feed . . . Better Fish



Optimum

Hatchery Feed for Atlantic Salmon, Trout and Charr

PRODUCT CHARACTERISTICS			
Feed Sizes	1.0 & 1.5mm pellets	2mm pellets	3mm pellets
Crude Protein (minimum)	52%	50%	50%
Crude Fat (minimum)	18%	19%	20%
Crude Fiber (maximum)	1.2%	1.4%	1.4%
Moisture (maximum)	9%	9%	9%
Ash (maximum)	10%	7.0%	7.0%
Phosphorus (maximum)	1.5%	1.1%	1.1%
NFE (actual)	12%	15%	15%
Digestible Energy (MJ/Kg)	18.3	18.3	18.6
Added Pigment (PPM Astaxanthin)	10 PPM	10 PPM	10 PPM

136 Hodgson Road • Fredericton, NB, Canada • E3C 2G4
Tel: (506) 444-7744 • Fax: (506) 444-7740 • Toll Free 1-800-561-0072

www.corey.ca





Better Feed . . . Better Fish



Optimum

High Density, Low Phosphorus Feed for Trout and Charr

PRODUCT CHARACTERISTICS				
Feed Sizes	4mm pellets	5.5mm pellets	7.5mm pellets	10mm pellets
Crude Protein (minimum)	46%	44%	42%	40%
Crude Fat (minimum)	24%	26%	26%	26%
Crude Fiber (maximum)	1.5%	1.3%	1.9%	2.2%
Moisture (maximum)	9%	9%	9%	9%
Ash (maximum)	6.0%	6.0%	6.0%	5.0%
Phosphorus (maximum)	1.0%	1.0%	1.0%	1.0%
NFE (actual)	17%	16%	20%	22.0%
Digestible Energy (MJ/Kg)	18.7	19.1	18.9	18.9
Added Pigment	50 PPM	50 PPM	50 PPM	50 PPM

136 Hodgson Road • Fredericton, NB, Canada • E3C 2G4
 Tel: (506) 444-7744 • Fax: (506) 444-7740 • Toll Free 1-800-561-0072

www.corey.ca

